

experience Williams Sound.







www.williamssound.com



Listening Accessories



earphones & headphones

Model Number	Description	Recommended for	Hearing Loss Rating
<p>EAR 013</p> 	<p>Single Mini Earbud Fits in the outer part of the ear. 3.5mm plug, 1m cord, mono</p> <p><i>EAR 015-10, EAR 015-100: Replacement Ear Pads</i></p>	<p>FM receivers Select IR receivers Pocketalker®</p>	Mild to moderate
<p>EAR 014</p> 	<p>Dual Mini Earbud Fits in the outer part of the ear. 3.5mm plug, 1m cord, mono</p> <p><i>EAR 015-10, EAR 015-100: Replacement Ear Pads</i></p>	<p>FM receivers Select IR receivers Pocketalker®</p>	Mild to moderate
<p>EAR 013T</p> 	<p>Mini Earphone with Eartip Provides closer coupling. Fits a variety of ears. 3.5mm plug, 1m cord, mono</p> <p><i>EAR 023: Replacement Eartips (pair)</i></p>	<p>FM receivers Select IR receivers Pocketalker®</p>	Mild to moderate
<p>EAR 014T</p> 	<p>Dual Mini Earphone with Eartips Provides closer coupling. Fits a variety of ears. 3.5mm plug, 1m cord, mono</p> <p><i>EAR 023: Replacement Eartips (pair)</i></p>	<p>FM receivers Select IR receivers Pocketalker®</p>	Mild to moderate
<p>EAR 023 KT</p> 	<p>Eartip Replacement Kit Includes eartips to fit a variety of ear sizes. Installation tool included. Use with EAR 013T, EAR 014T.</p>	<p>FM receivers Select IR receivers Pocketalker®</p>	Mild to moderate
<p>EAR 008</p> 	<p>Wide Range Earphone Hangs on outside of ear. Excellent sound quality. 3.5mm plug, 1m cord. mono</p> <p><i>EAR 010: Replacement earpad</i></p>	<p>FM receivers Select IR receivers Pocketalker®</p>	Mild to moderate

earphones & headphones

Model Number Description Recommended for Hearing Loss Rating



EAR 022

Surround Earphone
Hangs on outside of ear.
Excellent sound quality.

3.5mm plug, 1m cord
Easy to clean!

FM receivers
Select IR receivers
Pocketalker®

Mild and low gain



HED 026

Deluxe Rear-Wear Headphone
Adult size, 3.5 mm plug, 1m cord

HED 023, HED 023-100:
Replacement earpad (pair)

FM receivers
Select IR receivers
Pocketalker®

Mild and low gain



HED 021

Deluxe Folding Headphone
Adult size, 3.5 mm plug

HED 023, HED 023-100:
Replacement earpad (pair)

FM receivers
Select IR receivers
Pocketalker®

Mild to moderate



**NKL 001, NKL 003,
NKL 005**

Neckloop Telecoil Coupler
For use with hearing aids
equipped with a T-coil switch or
an induction earphone. 3.5 mm
plug.

NKL 001: 18" cord; NKL 003:
13" cord; NKL 005: 45" cord

FM receivers
Select IR receivers
Pocketalker®

Moderate to severe



power supplies

TFP 008
120VAC/12VAC
IC-1, TEL 040, and
Pocketalker® Pro
only.

TFP 008 HV
230VAC/12VAC
Power supply for IC-1,
TEL 040. No line cord.

TFP 010
110VAC/24VAC
Used for WIR TX9,
CHG 1600.

TFP 016
110VAC/24VAC
Power supply for
T35, MOD 232.

TFP 024
110VAC/12VDC
Power supply for
WIR TX238,
UL/CSA.

TFP 029
110VAC/6VDC
Power supply for
CHG 200.

TFP 030
230VAC/6VDC
Power supply for
CHG 200.

TFP 036
120VAC/12VAC
Power supply for
T27 Transmitter.


TFP 037
100-240VAC/5VDC
Switching power
supply for
CHG 3512.

TFP 038
230VAC/12VAC
Power supply for
T27 Transmitter.
No line cord.

microphones

Model Number Description Pattern/Type Recommended for

MIC 014



Plug Mount Mic

No cord, 3.5 mm plug

*WND 002: Replacement
Windscreen*

CLP 014: Microphone Clip

Omni Condenser
(Electret)

Pocketalker®
R31 Receiver

MIC 027



Hand-held Noise Canceling Mic

3.5mm plug, 48" cord

Directional Condenser
(Electret)

T27 Transmitter
T32 Transmitter
Pocketalker®
R31 Receiver

MIC 044, MIC 044 2P



Headset Microphone Noise Canceling Mic

3.5mm plug (MIC 044 2P has
(2) 3.5mm plugs), 39" cord

*WND 008: Replacement
Windscreen*

Directional Condenser
(Electret)

IC-1
T27 Transmitter
T32 Transmitter

MIC 054



Directional Lapel Clip Mic

3.5mm plug, 39" cord

*WND 007: Replacement
Windscreen*

CLP 057: Microphone Clip

Directional Condenser
(Electret)

T27 Transmitter
T32 Transmitter
Pocketalker®
R31 Receiver

MIC 079



Dual Muff Headset Mic

(2) 3.5 mm plugs, 39" cord,
mono

*WND 002: Replacement
Windscreen*

Directional Condenser
(Electret)

IC-1
T27 Transmitter
T32 Transmitter

MIC 084






Infrared System Television Mic

3.5mm jack, 1m cord

Omni Condenser
(Electret)





TX238 Transmitter

microphones






Model Number	Description	Pattern/Type	Recommended for
 <p>MIC 096</p>	<p>Headband Microphone, Noise Canceling</p> <p>3.5 mm plug, 39" cord</p> <p><i>WND 009: Replacement Windscreen</i></p>	<p>Directional Condenser (Electret)</p>	<p>T27 Transmitter T32 Transmitter T863 Transmitter</p>
 <p>MIC 090</p>	<p>Mini Lapel Clip Mic</p> <p>3.5 mm plug, 39" cord</p> <p><i>WND 006: Replacement Windscreen</i> <i>CLP 090: Microphone Clip</i></p>	<p>Omni Condenser (Electret)</p>	<p>T27 Transmitter T32 Transmitter Pocketalker® R31 Receiver</p>
 <p>MIC 094</p>	<p>Headband Microphone, Noise Canceling</p> <p>XLR plug, 39" cord</p> <p><i>WND 009: Replacement Windscreen</i></p>	<p>Directional Condenser (Dynamic)</p>	<p>T35 Transmitter MOD 232 Modulator</p>

To get the greatest life out of your products, use only Williams Sound batteries and chargers. Do not mix and match batteries and chargers from different suppliers!




batteries & battery kits

Model Number	Description	Type
 <p>BAT 001 BAT 010</p>	<p>Disposable battery</p> <p>Disposable battery</p>	<p>Alkaline - AA</p> <p>Alkaline - AAA</p>
 <p>BAT 026 BAT AP97A</p>	<p>Rechargeable battery</p> <p>Rechargeable battery</p>	<p>NiMH - AA</p> <p>NiMH - for RX16, RX237/238/239</p>
 <p>BAT KT3</p>	<p>3V charger unit and (2) AA NiMH batteries</p> <p>(BAT 026)</p>	<p>3V - For use with Pocketalker® Pro ONLY</p>
 <p>BAT KT5</p>	<p>3V dual charger unit (CHG 200) and 4-AA NiMH batteries</p>	<p>PPA R31, PPA R32, PFM T32, PFM 300, PFM 350, T1-216, R1-216</p>



chargers

Model Number	Description	To be used with
 <p>CHG 200A</p>	3V dual charger unit for storing and charging one or two 3V units simultaneously. No batteries.	PFM 300, PFM 350, T32, R31, R32
 <p>CHG 238</p>	12 unit charger for the BAT AP97A NiMH battery. Universal power supply: 110V-230V	RX237, RX238, RX239, RX16
 <p>CHG 516</p>	Drop-in style multi charger unit for storing and charging up to (5) under-the-chin style receivers.	RX16, RX238, RX237, RX239
 <p>CHG 1600</p>	Drop-in style multi-charger for storing and charging up to (16) 3V Williams Sound body-pack style receivers or transmitters.	TGS 100 system (R1-216, T1-216)
 <p>CHG 3512, CHG 3512 PRO</p>	Drop-in style multi charger unit (CHG 3512 PRO includes case) for storing and charging up to (12) receivers or transmitters. Switching AC adapter.	R35, R35-8, R863, RX22-4, T863

floor stand kits

Model Number/Description	To be used with
 <p>SS-6 Floor stand kit, portable, heavy duty tripod stand with bracket. Holds (1) transmitter or emitter and (1) modulator. 15' max height.</p>	A single TX9 Emitter and MOD 232 Modulator; or a single TX90 Transmitter
 <p>SS-11 Floor stand kit, portable, heavy duty tripod stand with brackets. Holds up to (4) IR emitters/transmitters. 15' max height.</p>	Up to four TX9 Emitters or TX90 Transmitters
 <p>BKT 024 Wall and ceiling mounting bracket. Omnidirectional.</p>	A single TX9 Emitter or TX90 Transmitter

rack panel kits

Model Number	Description	To be used with
 <p>RPK 005</p>	Kit mounts (1) transmitter, or (1) modulator in one IEC rack space.	A single T35 Transmitter, or MOD 232 Modulator
 <p>RPK 006</p>	Kit mounts (2) transmitters, or (2) modulators in one IEC rack space.	Two T35 Transmitters, or MOD 232 Modulators

cases

Model Number/Description

To be used with

CCS 008

**CCS 001**

Black nylon single-unit carrying case with belt clip.

Pocketalker® Pro, R1-216, T1-216

CCS 008

Black nylon system carrying case with belt clip.

A single Pocketalker® Pro System



CCS 020

CCS 029

**CCS 020**

Soft nylon system carrying case with shoulder strap.

A single Personal FM 300/350, PFM 863 system or Pocketalker® System.

CCS 029Mini carry case for storing FM and IR system accessories. Compact size: 12^{9/10}" x 10^{1/4}" x 5^{2/5}"

Headphones, chargers, batteries, and other accessories

CCS 030

CCS 030 S

**CCS 030**

Customizable carry case includes interchangeable pluck foam and receiver dividers.


PPA VP, TGS PRO 720, TGS PRO MULTI, PPA 375, TGS 100, TGS 863

CCS 030 S

System carry case includes foam compartments to hold a transmitter, up to 10 receivers, and accessories.

PPA VP, TGS PRO 720, TGS PRO MULTI, PPA 375, TGS 100, TGS 863

CCS 030 35

**CCS 030 35**

Multi-receiver carry case includes pluck foam for storing up to 35 receivers.

Multiple IR and FM body-pack style receivers

antennas & cables

Model Number/Description

To be used with

**ANT 005**Coaxial antenna kit, 72 MHz FM
Length: 22', use with optional 50' antenna extension (part number WCA 008 50).

Large area FM transmitters, PPA T27, PPA T35

**ANT 021**Rubber duckie antenna, 72 MHz FM, 6".
Not to be used for rack mount systems.

Large area FM transmitters, PPA T27, PPA T35

**ANT 024**

Dipole wall mount antenna, 72 MHz FM, .75 Ohm.

Large area FM transmitters, PPA T27, PPA T35

**ANT 025**

Whip antenna, 72-76 MHz FM, 39" telescoping antenna.

Large area FM transmitters, PPA T27, PPA T35

**ANT 028**

F-connector antenna, 72-76 MHz FM, 39" telescoping, RoHS compliant.

Large area FM transmitters, PPA T27, PPA T35, PPA R1600

**ANT 029**

F-connector remote antenna kit, 72-76 MHz FM, rubber duckie antenna, RoHS compliant.

Large area FM transmitters, PPA T27, PPA T35

**WCA 007 WC**

3.5 mm plug to 3.5 mm jack, 4 meters, microphone & mounting clips.

Pocketalker® or R31 Receiver



Listening Accessories

Phone: 1-800-843-3544 (U.S.A.) or
+1 952 943 2252 (Outside the U.S.A.)

Email: info@williamssound.com

Website: www.williamssound.com